

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
S 50422608

Blatt *Sheet*
0001

Ihr Zeichen *Client Reference*
C.Y.H

Unser Zeichen *Our Reference*
01-ZYR-15075732 006

Längstens gültig bis *Latest expiration date*
13.11.2023 (day/mo/yr)

Genehmigungsinhaber *License Holder*

Zhejiang Shuangyang Group Co., Ltd.
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Fertigungsstätte *Manufacturing Plant*

Zhejiang Shuangyang Group Co., Ltd.
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*

DIN VDE 0620-1/03.13
DIN VDE 0620-2-1/03.13
AfPS GS 2014:01 Par. 3.1

**Zertifiziertes Produkt (Geräteidentifikation)
*Certified Product (Product Identification)***

**Lizenzentgelte - Einheit
*License Fee - Unit***

Steckdose (Multiple Socket-outlets with Cord Extension Set)

Bezeichnung (Type Designation) : SYH02-D SYH04-D SYH05-D 5

Handelsmarke (Trade Mark) : Shuangyang (logo)

Bemessungsspannung (Rated Voltage) : AC 230V; 50Hz

Bemessungsstrom (Rated Current) : 16A

Schutzart (Degree of Protection) : IP44

Schutzklasse (Protection Class) : Class I

5

ANLAGE (Appendix): 1.0

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 und § 21 des
Produktsicherheitsgesetzes.

*This certificate is based on our Testing and Certification Regulation.
Product and production fulfill par § 20 and § 21 of the
Product Safety Law.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Ausstellungsdatum *Date of Issue* : 14.11.2018 (day/mo/yr)

Zertifizierungsstelle



Dipl.-Ing. (FH) F. He

Zhejiang Shuangyang Group Co., Ltd.
Mr. Cen Yuhang
-
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Date : 14.11.2018
Our ref. : ZYR 01
Your ref.: C.Y.H

Ref : S GS-Mark Approval

Type of Equipment : Multiple Socket-outlets with Cord Extension Set
Model Designation : See Certificate
Certificate No. : S 50422608 0001
Report No. : 15075732 006

Dear Mr. Cen Yuhang,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


Dipl.-Ing. (FH) F. He

cc: Zhejiang Shuangyang Group Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

C E R T I F I C A T E



of Conformity
Low Voltage Directive 2014/35/EU

Registration No.: AN 50422772 0001

Report No.: 15075732 006

Holder: Zhejiang Shuangyang Group Co., Ltd.
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Product: Socket Outlet
(Multiple Socket-outlets with Cord Extension Set)

Identification: Type Designation : SYH02-D SYH04-D SYH05-D
Trade Mark : Shuangyang (logo)
Serial No. : Engineering Samples
Remark: Issued in conjunction with TÜV Rheinland
license S 50422608 0001.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

Certification Body

Date 14.11.2018



Dipl.-Ing. (FH) F. He

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

Zhejiang Shuangyang Group Co., Ltd.
Mr. Cen Yuhang
-
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Date : 14.11.2018
Our ref. : ZYR 01
Your ref.: C.Y.H

Ref : AN Certificate of Conf. Low Voltage D.

Type of Equipment : Multiple Socket-outlets with Cord Extension Set
Model Designation : See Certificate
Certificate No. : AN 50422772 0001
Report No. : 15075732 006

Dear Mr. Cen Yuhang,

We herewith confirm that a sample of the above mentioned technical equipment has been tested and was found to be in accordance with the relevant requirements.

Enclosed please find your Certificate of Conformity.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

With kind regards,

Certification Body


Dipl.-Ing. (FH) F. He

CC: Zhejiang Shuangyang Group Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zhejiang Shuangyang Group Co., Ltd.
Ms. Cen Yafang
-
Wuli, Guanhaiwei, Cixi
Ningbo, Zhejiang 315315
P. R. China

Date : 14.11.2018
Our ref. : ZYI 01
Your ref.: C.Y.H

Ref : Confirmation of license cancellation

Type of Equipment : Multiple socket-outlets with cord extension set
Model Designation : See Certificate
Certificate No. : S 50295037 0001
Report No. : 15075732 001

Dear Ms. Cen Yafang,

We have received your cancellation request for the certificate number mentioned above, accompanied by the original certification documents. According to your request, we have cancelled all pages belonging to the above mentioned certificate number. The request has arrived in time, therefore we will not charge the respective annual license fees from the next year on.

We would like to take the opportunity to offer you our assistance in the approval of your future products through our wide range of services.

Please feel free to contact us whatever your requirements may be. We appreciate your support and thank you for your cooperation.

The certificate holder is: Zhejiang Shuangyang Group Co., Ltd.

With kind regards,

Certification Body


Dipl.-Ing. (FH) F. He

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Dirk Rossmann GmbH

Date : 14.11.2018

Our ref. : ZYR 01

Your ref.: P.P

Isernhägener Straße 16
30938 Burgwedel
Germany

Ref : Confirmation of license cancellation

Type of Equipment : Multiple Socket-outlets with Cord Extension Set
Model Designation : See Certificate
Certificate No. : S 50407143 0001
Report No. : 15075732 005

Dear Ladies and Gentlemen,

We have received your cancellation request for the certificate number mentioned above, accompanied by the original certification documents. According to your request, we have cancelled all pages belonging to the above mentioned certificate number. The request has arrived in time, therefore we will not charge the respective annual license fees from the next year on.

We would like to take the opportunity to offer you our assistance in the approval of your future products through our wide range of services.

Please feel free to contact us whatever your requirements may be. We appreciate your support and thank you for your cooperation.

the certificate holder is: Dirk Rossmann GmbH

With kind regards,

Certification Body


Dipl.-Ing. (FH) F. He

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Constructional Data Form (CDF) for Socket-outlet

License holder : Zhejiang Shuangyang Group Co., Ltd.
 Wuli, Guanhaiwei, Cixi, Ningbo, Zhejiang 315315. P.R. China

Factory : Zhejiang Shuangyang Group Co., Ltd.
 Wuli, Guanhaiwei, Cixi, Ningbo, Zhejiang 315315. P.R. China

Type of Appliance : Multiple Socket-outlet with Cord Extension Set

Type Designation : SYH02-D; SYH04-D; SYH05-D

Rating : 16A 230V~

Protection Class : Class I

Class of IP : IP44

Supply connection : power cord
 fixed wiring
 direct plug in
 others:

Standard sheet of socket : DIN 49440-1; DIN49440-3

Additional information : SYH02-D: with 2 way DIN 49440-1 + DIN 49440-3 shuttered outlets.
 SYH04-D: with 4 way DIN 49440-1 + DIN 49440-3 shuttered outlets.
 SYH05-D: with 2 way DIN 49440-1 + DIN 49440-3 shuttered outlets,
 with mechanical time switch.

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Plug	Zhejiang Shuangyang Group Co.,Ltd	SY-11	16A 250V~, IP44	DIN VDE 0620-1; DIN VDE 0620-2-1	VDE
Cable	Ningbo Shunchi Wire & Cable Co.,Ltd.	H05RR-F	3G1.5mm ²	EN 50525-2-21	VDE
(Alternative)	Ningbo Shunchi Wire & Cable Co.,Ltd.	H05RR-F	3G2.5mm ²	EN 50525-2-21	VDE
(Alternative)	Ningbo Shunchi Wire & Cable Co.,Ltd.	H07RN-F	3G1.5mm ²	EN 50525-2-21	VDE
(Alternative)	Ningbo Shunchi Wire & Cable Co.,Ltd.	H07RN-F	3G2.5mm ²	EN 50525-2-21	VDE

TÜV Rheinland Group

Zhejiang Shuangyang Group Co., Ltd.

13.11.2018

Tom Zhao



Yuhang Cen

Date

Name

Signature

Date

Name

Signature

Constructional Data Form (CDF) for Socket-outlet

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/ model	Technical data	Standard	Mark(s) of conformity
Water-proof lid; Socket body; Engagement surface; Shutter body; Shutter box;	IDEMITSU KOSAN CO LTD	(#)2200+(f2)	PC	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
High rim of socket outlet	Zhejiang Shuangyang Group Co., Ltd.	-	PVC	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Sealing ring	Cixi Changhe Hongfeng Rubber Products Plant	-	Silicon rubber	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Enclosure; Stand bar	CHI MEI CORPORATION	757	ABS	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Base of stand bar	Zhejiang Shuangyang Group Co.,Ltd.	-	PVC	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Phase contact and terminal	Cixi Ouhua Electronics Co.,Ltd	QSn6.5-0.1	>90% copper	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Earthing terminal	Ningbo Shenao Electrical Technology Co., Ltd	H59	59% copper	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Earthing contact	Cixi Qi Cheng Electric Co., Ltd	H62	62% copper	DIN VDE 0620-1; DIN VDE 0620-2-1	Tested with appliance
Cable gland	Zhejiang Shuangyang Group Co., Ltd.	M20	--	EN 62444	Tested with appliance
Time switch (for SYH05-D)	Zhejiang Shuangyang Group Co., Ltd.	SYH05-M	16A 250VAC	EN 60730-1; EN 60730-2-7	TÜV Rheinland
Terminal block (for SYH05-D)	Heavy Power Co., Ltd.	PA9	24A 450V 1,0...2,5mm ²	DIN VDE 60998-1; DIN VDE 60998-2-1	VDE
(Alternate)	Ninghai Chengguan Fangzheng Rubber & Plastic Hardware Factory	KP-10A	32A 450V 1,5...4,0mm ²	DIN VDE 60998-1; DIN VDE 60998-2-1	VDE

Note(s): An asterisk indicates a mark that assures the agreed level of surveillance.

TÜV Rheinland Group

Zhejiang Shuangyang Group Co., Ltd.

13.11.2018

Tom Zhao



Yuhang Cen

Date

Name

Signature

Date

Name

Signature